



## SPECIFICATION SHEET

# WSD MULESING POWDER

### Product Description

WSD MULESING POWDER is a wound dressing for livestock including following mules operation.

### Type of Preparation

WSD MULESING POWDER is a ready-to use powder for topical application as a wound dressing containing Diazinon 15g/kg, Piperonyl Butoxide 0.8g/kg, and Pyrethrins 1g/kg.

### Indications

**Sheep, cattle and goats:** To prevent blowfly strike, including after dehorning, mulesing or other wounds  
**Milking sheep:** Should not be used in sheep producing milk for human consumption.

### Dosage

Always refer to the label.

Shear wool or clip hair from the affected parts. Apply powder to the wound, introducing it into any cavities beneath the skin. Dust the wool and skin bordering the treated area, particularly areas between skin wrinkles. After marking, mulesing and dehorning, apply liberally to the affected area.

### Advice on use

- It is important to coat the area thoroughly.
- All preparations containing diazinon should be treated with CAUTION.

### Withholding periods

#### Meat withholding:

**Sheep, goats and pigs:** 14 days

**Cattle:** 3 days

**Export slaughter interval:** 3 days (cattle) and 21 days (sheep)

#### Milk withholding:

**Sheep:** Not for use in sheep producing milk for human consumption

**Wool withholding:** NIL provided it is applied as directed and not directly onto woolled areas.

### Shelf Life

24 months from the date of manufacture

### Sizes Available

12.5 kilogram pail



## WSD MULESING POWDER

### DIRECTIONS FOR USE ON SHEEP

#### INSTRUCTIONS

Dust the wound using a suitable container, ensuring that the powder enters any crevices and cavities under the skin.

Apply the powder in ample quantities to the area of the operation.

For general wounds: clip hair or shear affected areas and dust them lightly.

For strike, dehorning: apply the powder in ample quantities to the area affected.

#### PRECAUTIONS

Use only according to the instructions on this label unless authorised within appropriate legislation. Not to be used for any other purpose.

This product should not be used on tests of animals producing milk for human consumption.

#### WITHHOLDING PERIOD

**CATTLE** Do not administer later than 3 days before slaughter for human consumption.

**SHEEP, PIGS AND GOATS** Do not administer later than 14 days before slaughter for human consumption.

#### STORAGE

Store below 30°C. Store in the original container which should be kept in a dry, well-ventilated place. Keep the container closed and as cool as possible, out of direct sunlight.

#### TOXIC TO FISH

Take care not to contaminate rivers, streams or dams with either the chemical, any mixing equipment or the used container.

**DESTROY EMPTY CONTAINERS FOR PROTECTION OF LIVESTOCK, WILDLIFE AND THE ENVIRONMENT AND AVOID CONTACT WITH FOOD.**


**CAUTION**  
 KEEP OUT OF REACH OF CHILDREN  
 FOR ANIMAL TREATMENT ONLY

# WSD MULESING POWDER

WOUND DRESSING FOLLOWING MULES OPERATION  
 GENERAL WOUND DRESSING FOR SHEEP, CATTLE AND GOATS



**ACTIVE CONSTITUENTS:**  
 15.0g/kg Diazinon  
 (An Anticholinesterase compound)  
 1.0g/kg Pyrethrins  
 0.8g/kg Piperonyl butoxide



12.5KG  
 WESTERN STOCK DISTRIBUTIONS  
 Koogan Avenue, South Gidford Western Australia  
 A.N.M. 08 9321 2888

**SAFETY DIRECTIONS**  
 Repeated minor exposure may have a cumulative poisoning effect.  
 Avoid contact with eyes and skin. Do not inhale dust.  
 When using the product wear cotton overalls buttoned to the neck and wrist and washable hat. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing.

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (phone 13 11 26). If swallowed, and if more than 15 minutes from a hospital induce vomiting, preferably using Ipecac Syrup APF.

#### CONDITIONS OF SALE

All Western Stock Distributors' products are of a high quality, being subjected to rigid quality control. The manufacturer, however, is unable to control the products subsequent handling or use or the circumstances of each handling or use. This product is sold on the express condition that neither the manufacturer nor the distributor is under any liability for any loss or damage which may arise through such handling or use, if these conditions are unacceptable the container should be returned unopened for credit.

#### Registered under:

Veterinary Preparations & Animal Feeding Stuffs Act, 1976, WA  
 Stock Medicines Act, 1939-1978, SA  
 Veterinary Medicines Act, 1987, Tas

#### WESTERN STOCK DISTRIBUTORS

A.B.N. 58 009 372 525  
 Koogan Avenue, South Gidford WA 6055  
 Telephone: (08) 9321 2888

APVMA Approval No: 39574/0401

Batch No:

Expiry: